


### **PENNAR INDUSTRIES LIMITED**

### Cold Rolled Steel Strips



STEELING A MARCH



## PENNAR

### **PROFILE OF PENNAR**

Pennar Industries Limited is a multi-product, multi-location enterprise. The company manufactures five different products:

- Cold Rolled Steel Strips
- Cold Rolled Formed Sections
- Engineering Components
- Road Safety Systems
- Precision Tubes

Pennar has received the ISO 9001:2000 Quality Certification from RWTUV of Germany and committed to achieving excellence in the quality of products and aims for complete customer satisfaction.

The CRSS Division, with its units at Patancheru and Isnapur, 40 km from Hyderabad, has a combined annual Cold Rolling capacity of 120,000 Metric Tons. Pennar manufactures steel strips up to 720 mm width and thickness range of 0.25-4.5 mm both in coil and sheet form. Pennar caters to a wide range of customers from various sectors like:



- Automobiles
- White goods
- Domestic Appliances
- Bearings
- General Engineering Industries.


### **FACILITIES**


Pennar Industries Limited is equipped with state-of-art equipment which ensures the quality of finished product:

- Semi-continuous push-pull type pickling lines feed the rolling mill with scale-free, oiled and bright HR coils.
- PLC-controlled MECON WEAN-UNITED 4 Hi-cold rolling mills equipped with non-contact automatic gauge ensures rolling of strips of uniform gauge with thickness tolerance up to +/- 0.020 mm.
- 46 bell-type annealing furnaces enable proper heat treatment of the cold rolled strips, in order to achieve the desired mechanical properties.


- Modern 'skin pass' mills, controlled by PLC and Digital Drives and with Bridle rolls and Stretch-leveling facilities ensure desired surface finish (bright / fine matt / matt) to annealed coils.
- CR slitting lines help to meet the width requirements to a tolerance of 0.15 mm on either side.
- State-of-art cut-to-length line, provided with precision leveler help supply precision cut-to-length sheets in the range of 500-4000 mm, with in a tolerance of +/- 0.5 mm.
- Tested products are carefully packed, using polythene and gunny for coils and Poly craft and wooden / steel pallets for sheets, to provide total protection to the products during transit and handling.








# INDUSTRIES









### **PRODUCT FEATURES**

Product range : Width : 18 – 720 mm

Thickness : 0.25 - 4.5 mm

Coil Weight : 3 – 7 kg per mm of strip width

Coil ID : 400 / 500 mm Cut-to-length : 500 – 4000 mm

Grades : D/DD/EDD/St-42/St-52/MC 11/MC 12/55C6/FH/HH/QH

/C80/C30/HRD/HREDD/FE330/FE410/SAPH440 etc., and semi-killed for laminations and enameling quality grades

conforming to domestic and international standards.

Applications : Two wheelers (Rear fender, Muffler body, Fuel tank, Mudguard,

Front frame)

Four-wheelers (Assembly bumper, Cross member, Front panel,

Support panel, Pail roof side)

Refrigerators / Air-conditioners (Door and Side panels, Compressor

shells and other accessories)

Bearings (Cages, Bimetal used for Housings)

General Engineering (Electrical Laminations, Oil filters, Containers,

Gear cases, Cycle rims, Connectors)

### **TOTAL QUALITY MANAGEMENT**

Stringent quality control measures at every stage of the manufacturing process, right from the selection of raw material to chemical analysis using a spectrometer and measuring surface roughness by using Ra Value testing machine.

Every process is closely monitored and endproducts are subjected to a battery of tests to determine hardness, tensile strength, elongation and drawability in order to meet stringent customer specifications.

Pennar has a team of well qualified engineers committed to deliver customer satisfaction through quality products and ISO 9001:2000 Quality Certification from RWTUV of Germany.



### **QUALITY POLICY**

We, at Pennar, are committed to producing and providing steel based products and associated services for customers all over the world.

We strive to achieve excellence in the Quality of Products we manufacture and the Service we provide to our Customers.

It is our endeavour to create a working environment where motivated employees communicate freely and where innovation is encouraged, to enable continual improvement in all areas.

We work together to achieve "Complete Customer Satisfaction through Total Quality Management".

### **CUSTOMER DELIGHT**

As a part of value addition, Pennar has started supplying the customers with Blanks in various sizes and shapes. Pennar can offer blanks upto 300mm dia. and have plans to go upto 500mm dia with thickness range of 0.50mm to 6mm. Pennar has state-of-art tool room facilities and has the ability to make the desired tools economically with minimum lead time.

### THE COMPANY HAS BUILT UP A LARGE BASE OF SATISFIED CLIENTELE

#### Automobile Industry

- Ashok Leyland and Ancillaries
- Bharat Earth Movers Ltd.
- Baiai Auto and Ancillaries
- Eicher Motors Ltd.
- Ford India Ltd.
- General Motors Ltd.
- Hyundai Motors India Ltd.
- Hero Honda and Ancillaries
- IFB Automotive Pvt. Ltd.
- Lucas TVS Ltd.
- Mahindra & Mahindra Ltd.
- Maruti Udyog and Ancillaries
- TVS Motors Company Ltd and Ancillaries
- TELCO and Ancillaries
- Toyota Kirloskar Motors Ltd.

#### Bearings, Electrical & General Engineering

- Aguasab Engineering
- Bharat Heavy Electricals Ltd.
- Brakes India Ltd.
- Bimetal Bearings Ltd.
- Blow Plast Ergonomics Ltd.
- Crompton Greaves Ltd.
- Harsha Engineers Ltd.
- HBL Nife Power Systems Ltd.
- Kirloskar Oil Engines
- Minex Metallurgical Ltd.
- · Mid-Field Steels Pvt. Ltd.
- PHC Manufacturing Ltd.
- ToCheunglee Stationery Mfg. Co.
- Vijai Electricals Ltd.

### White Goods Industry

- BPL Ltd.
- Electrolux Ltd.
- o Godrej & Boyce Mfg. Co. Ltd.
- Kirloskar Copeland Ltd.
- LG Appliances
- Tecumseh Products India Ltd.
- Voltas Ltd.

Isnapur Works

Tarapur Works

- Videocon Appliances Ltd.
- Whirlpool India

### MARKETING NETWORK

To serve a wide customer base from the automobile, white goods, domestic appliances, bearings and general engineering industries. Pennar Industries has established a network of Marketing Offices at Mumbai, Chennai, Bangalore, Hyderabad, Pune, Faridabad, Coimbatore, Hosur, Indore and Kolkata.

### TECHNICAL SPECIFICATIONS OF PENNAR COLD ROLLED STEEL COILS & SHEETS

Surface Finish, Standards						
Surface Finish	Cold Rolled Product	Hot Rolled Product				
Bright : Ra - 0.50 Microns Max. Very fine Matt : Ra - 0.40 to 0.70 Micron Fine Matt : Ra - 0.60 to 1.20 Micron Matt : Ra - 1.00 to 1.60 Micron Rough Matt : Ra - Above 1.50 Micron	IS 513 - 1994 IS 1570 - 1978 BS 1449 - 1983 DIN 1623 - 1986 JIS 3141 - 1990 DIN 1624 - 1987 IS 4397 - 1999 IS 2507 - 1975 Thickness range 0.25mm to 4.5mm	IS 2062 - 1999 IS 1079 - 1994 BS 1449 - 1983 DIN 1614 - 1986 JIS 3131 - 1990 JIS 3113 - 1990 IS 5986 - 2002 IS 8500 - 1991 Thickness range 1.6 mm to 6.0mm				

### **Cold Rolled Product (Special Grades of Steels)**

	Chemistry (%)			Properties			
	C	Mn	S	Р	UTS - Min	El on 80 GL	Hardness
DIN 1623	0.25	1.50	0.04	0.04	42 Kg/mm2	16% min	125 VPN min
ST42/IS 1570	Max	Max	Max.	Max.			
MC 11	0.35-0.45	0.6-0.9 Max.	0.05 Max.	0.05 Max.	50 kg/mm2	12% min	150 VPN min
MC 12	0.50-0.60	0.6-1.00	0.05 Max.	0.05 Max.	60 kg/mm2	10% min	165 VPN min

Mechanical / Metallurgical Properties

Quality	Carbon % (max)	Tensile strength kg/mm <sup>2</sup>	Hardness HV	Elongation % on 80mm GL	Bend Parallel to rolling	Bend perpendicular to rolling
Full Hard		55 (min)	160 - 240			
Half Hard		43 (min)	135 - 180	-	•	180 Degree/3 t
Quarter Hard		36 (min)	110 - 135		90 Degree/1t	180 Degree/2 t
Drawing	0.12	28 - 42	120 (max)	28 (min)	180 Degree Close	180 Degree Close
Deep Drawing	0.10	28 - 38	110 (max)	32 (min)	180 Degree Close	180 Degree Close
Extra Deep Drawing	0.08	28 -36	105 (max)	36 (min)	180 Degree Close	180 Degree Close

### Tolerance on Width

**Tolerance Band on Nominal Thickness** 

Nominal Thickness (mm)		Nominal Width					
Over	Upto/Including	Less than 150 mm	>150 <300	>300 <450	>450		
0.25	0.60	0.04	0.05	0.06	0.06		
0.60	1.20	0.06	0.06	0.06	0.06		
1.20	2,00	0.08	0.08	0.10	0.10		
2.00	3.00	0.10	0.10	0.10	0.10		
3.00	//4.50	0.12	0.12	0.14	0.14		

For all HRSP thickness tolerance is +/- 0.15 on nominal thickness

#### Tolerance on Length

Thickness	Length	Tolerance Band			
		for Matt Surface	for Bright Surface		
< 1.00 mm	Upto 4000 mm	3 mm	5 mm		
>1.00 < 2.00mm	Upto 3000 mm	3 mm	5 mm		
>2mm<6mm	Upto 3000 mm	5 mm	5mm		
Panel	Upto 4000 mm	1 mm			



### PENNAR INDUSTRIES LIMITED

(Cold Rolled Steel Strips Division)

Patancheru (Corporate Office & Works): I.D.A., Patancheru - 502 319. Medak District, Andhra Pradesh, India. Ph: +91 08455 242184-193

Fax: + 91 08455 242161 / 424 Email: pilhyd@sancharnet.in / venkat@pennarindia.com Web: http://www.pennarindia.com

Registered Office : 3rd Floor, Saptagiri Towers, Begumpet, Hyderabad - 500 016. Andhra Pradesh, India.
Ph: +91 40 27766781 Fax : +91 40 27768056.

: Isnapur Village, Pashamylaram - 502 320. Medak District, Andhra Pradesh, India.

Ph: 08455 226615 / 17 Fax: 08455 226412

: Pressmetal (Unit of Pennar Industries), J-72, Tarapur Industrial area, Off Navapur Road, Boisar - 401 506 Thane District,

Maharastra, India. Ph: 02525 272517 / 609 / 429 Fax: 02525 272536 Email: pressmetal@sancharnet.in

Marketing Offices : Bangalore : Telefax: 080 23359002 Chennai : Telefax: 044 24893962 Coimbatore : Telefax: 0422 2539770

Faridabad : Telefax: 0129 2231235 Hosur : Tel: 04344 276874 Fax: 04344 225317 Hyderabad : Tel: 040 27766781 / 82 Fax: 040 27768056 Indore : Telefax: 0731 2705075 Kolkata : Telefax: 033 23449076 Mumbai : Telefax: 022 25375493 Pune : Telefax: 020 25538660